



SAFETY DATA SHEET ALLOY WHEEL GEL

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Alloy Wheel Gel
Product No. TAWG-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cyanoacrylate adhesive.

1.3. Details of the supplier of the safety data sheet

Supplier INTERNATIONAL APPLICATIONS LIMITED
18 WILDMERE ROAD,
WILDMERE INDUSTRIAL ESTATE,
BANBURY, OXFORDSHIRE, OX16 3JU
Tel: +44 (0) 1295 274004
Fax: +44 (0) 1295 211268
Email: sales@international-applications.com

1.4. Emergency telephone number

+44 (0) 1295 274004 (08:30 - 17:00 hrs)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; STOT SE 3 - H335
Environment	Not classified.

Classification (1999/45/EEC) Xi; R36/37/38.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

Liquid adhesive; bonds skin and eyes in seconds.

2.2. Label elements

Label In Accordance With (EC) No. 1272/2008



Signal Word

Warning

Hazard Statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary Statements

P261	Avoid breathing vapour/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313	If eye irritation persists: Get medical advice/attention.

Supplemental label information

EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
--------	---

2.3. Other hazards

ALLOY WHEEL GEL

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

ETHYL 2-CYANOACRYLATE	60-100%
CAS-No.: 7085-85-0	EC No.: 230-391-5
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335	Classification (67/548/EEC) Xi;R36/37/38

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

Ingestion

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

Skin contact

If adhesive bonds skin, flush with water and seek medical assistance. Do not attempt to force skin apart if bonded. Get medical attention immediately!

Eye contact

If adhesive bonds eyelids, flush with water and seek medical assistance. Do not attempt to force bonded skin apart. Consult a physician for specific advice. To hospital or eye specialist.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

There may be irritation of the throat and a feeling of tightness in the chest. Exposure may cause coughing and wheezing.

Ingestion

There may be soreness and redness of the mouth and throat. The product will polymerise immediately in the mouth, making it almost impossible to swallow, but beware of possible choking hazard.

Skin contact

Cyanoacrylates bonds skin in seconds, In the case of large spills on the skin, superficial burn may occur - treat accordingly. There may be irritation and redness at the site of contact.

Eye contact

Cyanoacrylates bond eyelids in seconds. There may be irritation and redness. The eyes may water profusely.

4.3. Indication of any immediate medical attention and special treatment needed

If adhesive bonds eyelids, flush with water and seek medical assistance. Do not attempt to force bonded skin apart. If adhesive bonds skin, flush with water and seek medical assistance. Do not attempt to force skin apart if bonded.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. Do not use water as an extinguisher.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Move container from fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

ALLOY WHEEL GEL

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapours and contact with skin and eyes. Use protective gloves, goggles and suitable protective clothing.

6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Absorb with sand or other inert absorbent. Collect in containers and seal securely.

6.4. Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Avoid inhalation of vapours. Mechanical ventilation or local exhaust ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

Keep upright. Keep containers tightly closed. Protect from freezing and direct sunlight. Store in a cool and well-ventilated place.

Storage Class

Chemical storage.

7.3. Specific end use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
ETHYL 2-CYANOACRYLATE	WEL			0,3 ppm	1,5 mg/m ³	

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

In case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapour cartridge.

Hand protection

Chemical resistant gloves required for prolonged or repeated contact. Use protective gloves made of: Nitrile. or Viton rubber (fluor rubber).

Eye protection

Wear approved safety goggles.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet.

Skin protection

Wear apron or protective clothing in case of contact.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Colourless liquid.
Colour	Colourless.
Odour	Acrid.

ALLOY WHEEL GEL

Solubility	Hardens in contact with water. Soluble in: Acetone
Initial boiling point and boiling range	>150°C
Relative density	1.06
Vapour pressure	0.04 mmHg 25°C
Viscosity	50K - 90K cps
Flash point	>85°C

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use. Avoid Moisture.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

May polymerise.

10.4. Conditions to avoid

Avoid exposure to high temperatures or direct sunlight. Avoid contact with water.

10.5. Incompatible materials

Materials To Avoid

Strong oxidising substances. Water, steam, water mixtures. Alcohols, glycols. Amines.

10.6. Hazardous decomposition products

In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation

Irritating to respiratory system. Vapour may irritate respiratory system or lungs.

Ingestion

May cause severe internal injury. May cause discomfort if swallowed.

Skin contact

Irritating to skin. Prolonged or repeated exposure may cause severe irritation.

Eye contact

Irritating to eyes. Extreme irritation of eyes and mucous membranes, including burning and tearing.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Not regarded as dangerous for the environment.

12.1. Toxicity

Acute Fish Toxicity

Not considered toxic to fish.

12.2. Persistence and degradability

Degradability

No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product is not bioaccumulating.

ALLOY WHEEL GEL

12.4. Mobility in soil

Mobility:

The product hardens to a solid immobile substance.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Contact specialist disposal companies.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ICAO) 3334

14.2. UN proper shipping name

Proper Shipping Name AVIATION REGULATED LIQUID, N.O.S. (Ethyl-2-Cyanoacrylate)

14.3. Transport hazard class(es)

ICAO Class/Division 9

Transport Labels



14.4. Packing group

ICAO Packing group III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant
No.

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health.

Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

ALLOY WHEEL GEL

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

National Regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health Regulations 2002 (as amended) The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 ("CDG 2009"), SI 2009 No 1348

15.2. Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms used in the safety data sheet

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

ADR: European Agreement concerning the International Carriage of dangerous Goods by Road.

IMDG: International Maritime Code for Dangerous Goods.

GHS: Globally Harmonized System of Classification and Labelling of Chemicals.

EINECS: European Inventory of Existing Commercial Chemical Substances.

CAS: Chemical Abstract Service.

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.

LD50: Lethal dose, 50 percent.

LC50: Lethal concentration, 50 percent.

WEL: Workplace Exposure Limit.

STEL: Short Term Exposure Limit.

TWA: Time Weighted Average.

PBT: Persistent Bioaccumulative Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

General information

For further information or advice contact our technical service line during regular office hours on 0121-524-1000.

This safety data sheet has been compiled for the product as supplied, properties and hazards will vary if the product is diluted with water or mixed with any other material.

Revision Comments

The information contained herein is based on known available data believed to be reliable but does not constitute the users own assessment of the work place risk as required by other Health and Safety Legislation.

Revision Date 08-01-2014

Revision 1

Safety Data Sheet Status Approved.

Date 08-01-2014

Signature Health and Safety Manager

Risk Phrases In Full

R36/37/38 Irritating to eyes, respiratory system and skin.

Hazard Statements In Full

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.