



Safety Data Sheet

1. Identification and Company

Product Code: T3900
Substance Name: Superfast Plastic Adhesive
Application: Adhesives, sealants
Supplied by: International Applications Ltd, 18 Wildmere Road, Banbury, Oxfordshire, OX16 3JU.
Further information: +44 (0)1295 274004
Emergency Contact: During working hours GMT 08.30 - 17.00 – +44 (0)1295 274004

2. Hazards Identification

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

Label elements:

Hazard statements: H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P264: W ash hands thoroughly after handling.

P280: W ear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice/attention.

PBT: This product is not identified as a PBT/vPvB substance.

3. Composition

Hazardous ingredients:

GLYCERYL POLY(OXYPROPYLENE)TRIAMINE

EINECS	CA S	PBT / W EL	CLP Classification	Percent
-	64852-22-8	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335	2.000%



4. First Aid Measures

Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. If irritation persists consult a doctor.

Eye contact: Remove contact lenses. Bathe the eye with running water for 15 minutes. If irritation persists, consult a doctor.

Ingestion: Call a doctor immediately. Induce vomiting only if indicated by the doctor. Give nothing without the express permission of the doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Move to fresh air in case of accidental inhalation of vapours. If breathing problems develop, call a doctor immediately.

Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Slight irritation of the lower and upper respiratory tract.

Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable

5. Fire Fighting Measures

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Water fog. Carbon dioxide. Dry chemical powder. Alcohol resistant foam.

Exposure hazards: In combustion emits toxic fumes.

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Collect extinguishing water to prevent it from draining into the sewer system.

6. Accidental Release Measures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS



7. Handling & Storage

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid direct contact with the substance. Smoking is forbidden. Do not eat, drink or smoke when using this product.

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

Suitable packaging: Must only be kept in original packaging.

Specific end use(s): No data available.

8. Exposure Controls/Personal Protection

Workplace exposure limits: No data available.

DNEL / PNEC No data available

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: If the threshold of the substance is exceeded, it is advisable to use a mask with filter type B. Choose the class based on the concentration limit. The use of respiratory protective equipment is necessary when applied engineering controls are not adequate to limit worker exposure to the relevant thresholds. The protection provided by masks is in any case limited. If the substance is odorless and in any case of emergency, use self-contained breathing apparatus with compressed air with open circuit.

Hand protection: PVC gloves. Categorie I (ref. EEG Richtlijn 89/686 en norm 374). Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to use. The wear length of the glove is dependent on the duration and manner of use.

Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields.

Skin protection: Protective clothing. Categorie I (ref. EEG Richtlijn 89/686 en norm EN ISO 20344). Wash with soap and water after you took off the clothes.



9. Physical & Chemical Properties.

State: Liquid

Colour: Black

Solubility in water: Insoluble

Viscosity: 860 mPa.s (25°C)

Boiling point/range°C: >200

Flash point°C: 182

Vapour pressure: 1 Pa (20°C)

Relative density: 1,020 g/cm³ (25°C)

Other Information: No Data available

10. Stability & Reactivity

Reactivity: Stable under recommended transport or storage conditions.

Chemical stability: Stable under normal conditions.

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Materials to avoid: No data available.

Haz. decomp. products: In combustion emits toxic fumes

11. Toxicological Information

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	2690	mg/kg
DERMAL	RBT	LD50	12500	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms/routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Slight irritation of the lower and upper respiratory tract

12. Ecological Information

Ecotoxicity values:

Species	Test	Value	Units
FISH	96H LC50	68	mg/l



Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility: No data available.

PBT identification: This product is not identified as a PBT/vPvB substance

Other adverse effects: No data available.

13. Disposal Considerations

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport Information

Transport class: This product does not require a classification for transport

15. Regulatory Information

Chemical safety assessment: A chemical safety assessment has been carried out for the substance or the mixture by the supplier.

16. Other Information

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No. 1907/2006.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3:

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product

Revision Date	03/01/2018